

### TEST REPORT

Test Report No. : ELES/RNC/2023/4818	Report Release Date : 23.12.2023
ULR No. : TC883923000002941F	

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4483
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Main Gate
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C) : 21		2	Barometric Pressure (mmHg) : 722	
3	Relative Humidity (%) : 58		4	Weather Condition : Clear	
5	Longitude : 84°28'50.49"E		6	Latitude : 22°37'07.13"N	

Discipline : Chemical		Group : Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m <sup>3</sup>	IS 5182 (Part- 23): 2022	73	100 (24hrs)
Particulate Matter (PM2.5)	µg/m <sup>3</sup>	IS 5182 (Part- 24): 2019	41	60 (24hrs)
Sulphur Di-Oxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 2/Sec1): 2022	8.9	80 (24hrs)
Nitrogen Di-Oxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 6): 2022	22.8	80 (24hrs)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m <sup>3</sup>	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m <sup>3</sup>	IS 5182 (Part- 22): 2019	<0.002	1 (24hrs)
Nickel (Ni)	ng/m <sup>3</sup>	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m <sup>3</sup>	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)



Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*



Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany)  
Director

Page 1 of 1

ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit)





CIN: U74999JH2018PTC011125

# ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA  
HATIA, RANCHI-834003 (JHARKHAND)  
GST NO:- 20AAECE9713D1Z4

**ENGINEERING SERVICES PVT. LTD.**

Email: [info@elespl.co.in](mailto:info@elespl.co.in), [eles.ranchi@gmail.com](mailto:eles.ranchi@gmail.com)

Phone no.: 0651-2290103

Website : [www.elespl.co.in](http://www.elespl.co.in)

## TEST REPORT

Test Report No.	: ELES/RNC/2023/4818	Report Release Date	: 23.12.2023
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4483
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Main Gate
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 21	2	Barometric Pressure (mmHg)	: 722
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear
5	Longitude	: 84°28'50.49"E	6	Latitude	: 22°37'07.13"N

Discipline : Chemical		Group : Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C <sub>6</sub> H <sub>6</sub> )*	µg/m <sup>3</sup>	IS 5182 (Part-11)2006;RA2017	<1.0	05(Annual)
Benzo-(a)-Pyrene*	ng/m <sup>3</sup>	IS 5182 (Part-12)2004;RA2019	<0.5	01(Annual)

Remarks: (\*)-Parameters are outsourced to other Lab.

Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*

Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany),  
Director  
ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).





CIN: U74999JH2018PTC011125

# ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA  
HATIA, RANCHI-834003 (JHARKHAND)  
GST NO:- 20AAECE9713D1Z4

**ENGINEERING SERVICES PVT. LTD.**Email: [info@elespl.co.in](mailto:info@elespl.co.in), [eles.ranchi@gmail.com](mailto:eles.ranchi@gmail.com)

Phone no.: 0651-2290103

Website : [www.elespl.co.in](http://www.elespl.co.in)

TC-8839

## TEST REPORT

Test Report No.	: ELES/RNC/2023/4819	Report Release Date	: 23.12.2023
ULR No.	: TC883923000002942F		

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4484
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Near C.S. Centre
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed & Preserved

## METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 21	2	Barometric Pressure (mmHg)	: 722
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear
5	Longitude	: 84°28'48.90"E	6	Latitude	: 22°37'07.69"N

Discipline : Chemical		Group : Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m <sup>3</sup>	IS 5182 (Part- 23): 2022	62	100 (24hrs)
Particulate Matter (PM2.5)	µg/m <sup>3</sup>	IS 5182 (Part- 24): 2019	34	60 (24hrs)
Sulphur Di-Oxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 2/Sec1): 2022	6.5	80 (24hrs)
Nitrogen Di-Oxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 6): 2022	17.1	80 (24hrs)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m <sup>3</sup>	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m <sup>3</sup>	IS 5182 (Part- 22): 2019	<0.002	1 (24hrs)
Nickel (Ni)	ng/m <sup>3</sup>	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m <sup>3</sup>	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*

Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany)  
Director  
ELES Pvt. Ltd.

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

**"Save Environment, Save Future"**





CIN: U74999JH2018PTC011125

# ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA  
HATIA, RANCHI-834003 (JHARKHAND)  
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: [info@elespl.co.in](mailto:info@elespl.co.in), [eles.ranchi@gmail.com](mailto:eles.ranchi@gmail.com)

Phone no.: 0651-2290103

Website : [www.elespl.co.in](http://www.elespl.co.in)

## TEST REPORT

Test Report No.	: ELES/RNC/2023/4819	Report Release Date	: 23.12.2023
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4484
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Near C.S. Centre
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 21	2	Barometric Pressure (mmHg)	: 722
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear
5	Longitude	: 84°28'48.90"E	6	Latitude	: 22°37'07.69"N

Discipline : Chemical		Group : Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C <sub>6</sub> H <sub>6</sub> )*	µg/m <sup>3</sup>	IS 5182 (Part-11)2006;RA2017	<1.0	05(Annual)
Benzo-(a)-Pyrene*	ng/m <sup>3</sup>	IS 5182 (Part-12)2004;RA2019	<0.5	01(Annual)

Remarks: (\*)-Parameters are outsourced to other Lab.

Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*

Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany)  
Director  
ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).





CIN: U74999JH2018PTC011125

# ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA  
HATIA, RANCHI-834003 (JHARKHAND)  
GST NO:- 20AAECE9713D1Z4

**ENGINEERING SERVICES PVT. LTD.**

Email: [info@elespl.co.in](mailto:info@elespl.co.in), [eles.ranchi@gmail.com](mailto:eles.ranchi@gmail.com)  
Phone no.: 0651-2290103  
Website : [www.elespl.co.in](http://www.elespl.co.in)



TC-8839

## TEST REPORT

Test Report No. : ELES/RNC/2023/4820	Report Release Date : 23.12.2023
ULR No. : TC883923000002943F	

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4485
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Near Office
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed & Preserved

## METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 21	2	Barometric Pressure (mmHg)	: 722
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear
5	Longitude	: 84°28'49.54"E	6	Latitude	: 22°37'08.03"N

### Discipline : Chemical

### Group : Atmospheric Pollution

Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m <sup>3</sup>	IS 5182 (Part- 23): 2022	60	100 (24hrs)
Particulate Matter (PM2.5)	µg/m <sup>3</sup>	IS 5182 (Part- 24): 2019	31	60 (24hrs)
Sulphur Di-Oxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 2/Sec1): 2022	5.9	80 (24hrs)
Nitrogen Di-Oxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 6): 2022	16.8	80 (24hrs)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m <sup>3</sup>	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m <sup>3</sup>	IS 5182 (Part- 22): 2019	<0.002	1, (24hrs)
Nickel (Ni)	ng/m <sup>3</sup>	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m <sup>3</sup>	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*

Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany)  
Director

Page 1 of 1

ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

**"Save Environment, Save Future"**





CIN: U74999JH2018PTC011125

# ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA  
HATIA, RANCHI-834003 (JHARKHAND)  
GST NO:- 20AAECE9713D1Z4

**ENGINEERING SERVICES PVT. LTD.**Email: [info@elespl.co.in](mailto:info@elespl.co.in), [eles.ranchi@gmail.com](mailto:eles.ranchi@gmail.com)

Phone no.: 0651-2290103

Website : [www.elespl.co.in](http://www.elespl.co.in)

## TEST REPORT

Test Report No.	: ELES/RNC/2023/4820	Report Release Date	: 23.12.2023
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sample Ref. No.	: ELES/RNC/2023/AA/4485
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Location	: Near Office
College Status	: Operational	Sampling Date	: 14.12.2023 to 15.12.2023
Period of Analysis	: 16.12.2023 to 22.12.2023	Sample Received Date	: 16.12.2023
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sampling Done By	: ELES Pvt. Ltd.
		Sample Condition	: Sealed

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C) : 21			2	Barometric Pressure (mmHg) : 722
3	Relative Humidity (%) : 58			4	Weather Condition : Clear
5	Longitude : 84°28'49.54"E			6	Latitude : 22°37'08.03"N

Discipline : Chemical		Group : Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C <sub>6</sub> H <sub>6</sub> )*	µg/m <sup>3</sup>	IS 5182 (Part-11)2006;RA2017	<1.0	05(Annual)
Benzo-(a)-Pyrene*	ng/m <sup>3</sup>	IS 5182 (Part-12)2004;RA2019	<0.5	01(Annual)

Remarks: (\*)-Parameters are outsourced to other Lab.

Reviewed by  
**Akash Kumar**  
Quality Manager

\*\*\*\*End of Report\*\*\*\*

Authorised Signatory  
**Rekha Saxena**  
B. Sc, M. Sc. (Botany)  
Director  
ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDI. (Lower Detection Limit).