



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

Email: info@elespl.co.in, eles.ranchi@gmail.com
Phone no.: 0651-2290103
Website : www.elespl.co.in



TC-8839

TEST REPORT

Test Report No. : ELES/RNC/2023/4821	Report Release Date : 23.12.2023
ULR No. : TC883923000002944F	

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: St. Xavier's College, Simdega	Sampling Date	: 14.12.2023 to 15.12.2023
Address	: P.O.- Gotra, P.S.- Simdega, Dist- Simdega, Jharkhand-835235	Sampling Received Date	: 16.12.2023
		Type of Sample	: Ambient Noise
		Sampling procedure	: ELES/DOC/SMPL/03
		Sampling Done By	: ELES Pvt. Ltd.
College Status	: Operational	Period of Analysis	: 16.12.2023 to 19.12.2023

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 21	2	Barometric Pressure (mmHg)	: 722
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear

Discipline : Chemical			Group : Atmospheric Pollution				Regulatory Limit (Silent Zone)
Location	Unit	Test Protocol	Result				
Main Gate	dB(A)	IS 9989: 2020	Time	L _{Max}	L _{Min}	L _{eq}	50 dB(A) Day Time & 40 dB(A) Night Time
Sample ID: ELES/RNC/2023/AN/4486			Day Time	56.9	44.3	49	
Latitude: 22°37'07.13"N			Night Time	45.3	36.8	40	
Longitude: 84°28'50.49"E							
Near Office	dB(A)	IS 9989: 2020	Time	L _{Max}	L _{Min}	L _{eq}	
Sample ID: ELES/RNC/2023/AN/4487			Day Time	55.6	42.4	48	
Latitude: 22°37'08.03"N			Night Time	43.3	36.5	39	
Longitude: 84°28'49.54"E							
Near C.S. Centre	dB(A)	IS 9989: 2020	Time	L _{Max}	L _{Min}	L _{eq}	
Sample ID: ELES/RNC/2023/AN/4488			Day Time	55.1	41.8	48	
Latitude: 22°37'07.69"N			Night Time	43.9	36.1	38	
Longitude: 84°28'48.90"E							

Akash Kumar
Reviewed by

Akash Kumar
Quality Manager

****End of Report****

Rekha Saxena
Authorized Signatory

Rekha Saxena
B. Sc, M. Sc. (Botany)
Director

Page 1 of 1

ELES Pvt. Ltd.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"